

Safety data sheet according to 1907/2006/EC, Article 31

Version 9 (replaces version 8)

Revision: 23.01.2023

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking		
· 1.1 Product identifier			
 Trade name: Document index: 	Lubrimax Alu Fleckfrei TECH061		
· Article number:	890504 (20-L)		
 1.2 Relevant identified uses of the substance or mixture and uses advised against 	_		
 Application of the substance / the mixture 	Industrial use PC-TEC-13: Metal working fluids PC-TEC-17: Processing aids PC-TEC-11: Lubricants, greases, release agents PC-TEC-OTH: Other products for chemical or technical processes		
 1.3 Details of the supplier of the safe Manufacturer/Supplier: 	Steidle GmbH Roettgerweg 12 D-51371 Leverkusen GERMANY Tel.: +49-(0)214/82511-25 E-Mail: info@	⊉steidle-gmbh.de v.steidle-gmbh.de	
· Further information obtainable from:	Department of technology: +49-(0)214/82511-21		
· E-mail of the informed person:	info@steidle-gmbh.de		
1.4 Emergency telephone number:	see above or consult the next poison information departement		
SECTION 2: Hazards identifica	ation		
 2.1 Classification of the substance or Classification according to Regulation (EC) No 1272/2008 	r mixture The product is not classified, according to the CLP regulation.		
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard statements 2.3 Other hazards Results of PBT and vPvB assessmen PBT: 	The criteria to identify an ingredient as a PBT substance in compliance	with REACH are	
· vPvB:	according to our information currently not available. The criteria to identify an ingredient as a vPvB substance in compliance according to our information currently not available.	with REACH are	
 Determination of endocrine- disrupting properties 	None		
SECTION 3: Composition/info	ormation on ingredients		
· 3.2 Mixtures · Description:	Mixture of different nonhazardous components.		
 Dangerous components: Additional information: 	Void For the wording of the listed risk phrases refer to section 16. For substances with limit values see section 8: Exposure controls/persona	al protection.	
SECTION 4: First aid measure	SECTION 4: First aid measures		
· 4.1 Description of first aid measures · General information:	Remove any clothing soiled by the product. In case of occuring of symptoms or in doubt consult a doctor. If a doctor is consulted show this material safety data sheet.		
 After inhalation: After skin contact: After eye contact: 	Supply fresh air; consult doctor in case of complaints. Wash with water and soap and rinse thoroughly. Rinse opened eye for several minutes under running water. If symptoms	persist, consult a	
· After swallowing:	doctor. Do not induce vomiting; call for medical help immediately.	(Contd. on page 2)	

EU-



Safety data sheet according to 1907/2006/EC, Article 31

Version 9 (replaces version 8)

Revision: 23.01.2023

(Contd. of page 1)

Trade name: Lubrimax Alu Fleckfrei

 4.2 Most important symptoms and effects, both acute and delayed 	No further relevant information available.
4.3 Indication of any immediate	No further relevant mormation available.
medical attention and special	
treatment needed	No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media	
Suitable extinguishing agents:	CO ₂ , powder or water spray. Fight larger fire with alcohol resistant foam.
· For safety reasons unsuitable	
extinguishing agents:	Water with full jet
5.2 Special hazards arising from the	
substance or mixture	Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: Carbon monoxide (CO)
 5.3 Advice for firefighters 	
 Protective equipment: 	Wear self-contained respiratory protective device.
 Additional information 	Cool endangered receptacles with water spray.
	Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency 	
procedures	Ensure adequate ventilation.
	Particular danger of slipping on leaked/spilled product.
 6.2 Environmental precautions: 	Do not allow to enter sewers/ surface or ground water.
	Do not allow to penetrate the ground/soil.
	Keep contaminated washing water and dispose of appropriately.
 6.3 Methods and material for 	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	Dispose contaminated material as waste according to section 13.
	Remove from the water surface (e.g. skim or suck off).
 6.4 Reference to other sections 	No dangerous substances are released.
	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.

SECTION 7: Handling and storage • 7.1 Precautions for safe handling Ensure good ventilation/exhaust at the workplace.

5	Open and handle receptacle with care.
 Information about fire - and explosion protection: 	Fumes can combine with air to form an explosive mixture above the flash point.
 7.2 Conditions for safe storage, inclusion Storage: 	uding any incompatibilities
Requirements to be met by	
storerooms and receptacles:	Store only in the original receptacle.
Information about storage in one	
common storage facility:	Not required.
• Further information about storage	
conditions:	Store in cool, dry conditions in well sealed receptacles.
	Protect from heat, direct sunlight and UV-rays.
	Storage stability under the described conditions at least 24 months.
• 7.3 Specific end use(s)	No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that

require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· 8.2 Exposure controls
 · Appropriate engineering controls

No further data; see section 7.



Safety data sheet according to 1907/2006/EC, Article 31

Version 9 (replaces version 8)

Revision: 23.01.2023

Trade name: Lubrimax Alu Fleckfrei

	(Contd. of page 2)
Individual protection measures, suc	ch as personal protective equipment
General protective and hygienic	
measures:	The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.
Respiratory protection:	Not necessary if room is well-ventilated.
	Use suitable respiratory protective device in case of insufficient ventilation or in cases where overexposures may occur.
Hand protection	Protective gloves or protective skin cream
Material of gloves	Nitrile rubber, NBR
Penetration time of glove material	At a glove thickness of about 0,4 mm the value of the permeation breakthrough in accordance with EN 374 is for chemically similar products according to the manufacturer: >480 min. (Degradation EN 374 rating class 6)
	These statements are based on laboratory test methods which could not simulate working conditions exactly. The responsibility rests with the end user for choosing the right gloves for his application.
Eye/face protection	Goggles recommended during refilling
Body protection:	Protective work clothing

SECTION 9: Physical and chemical properties

General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Mild
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	> 280 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	> 150 °C
Ignition temperature:	> 250 °C
Decomposition temperature:	Not determined.
pH	Not applicable.
Viscosity:	11
Kinematic at 40 °C:	20 mm²/s
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	Not determined.
Density at 15 °C:	0.84 g/cm ³
Relative density	Not determined.
Relative density	Not determined.
Particle characteristics	
	Not applicable.
9.2 Other information	
Explosive properties:	Product is not explosive. However formation of explosive air/vapo
	mixtures above the flash point or in case of strong misting
	possible.
Solvent content:	
VOC (EC)	None
Information with regard to physical hazard classes	
Explosives	Void
Explosives Flammable gases	Void
0	
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
	(Contd. on page



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

Version 9 (replaces version 8)

Revision: 23.01.2023

Trade name: Lubrimax Alu Fleckfrei

	(Contd. of page 3)
· Organic peroxides	Void
· Corrosive to metals	Void
 Desensitised explosives 	Void
Other safety characteristics	
· Mechanical sensitivity	Not determined.
Self-accelerating polymerisation temperature	Not applicable.
Formation of explosible dust/air mixtures	Not applicable.
Acid/alkaline reserve	Not determined.
· Miscibility	Not determined.
Conductivity	Not determined.
Corrosiveness	Not determined.
· Gas group	Not applicable.
· Redox potential	Not determined.
Radical formation potential	Not determined.
Photocatalytic properties	Not determined.
Additional information	The above named properties are measured according to regulation
	(EC) 440/2008 or according to other comparable methods.

SECTION 10: Stability and reactivity · 10.1 Reactivity No further relevant information available. 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. · 10.3 Possibility of hazardous No dangerous reactions known.

No dangerous decomposition products known.

see above

Strong oxidizing agents

- reactions · 10.4 Conditions to avoid
- · 10.5 Incompatible materials: 10.6 Hazardous decomposition
- products:

SECTION 11: Toxicological information

· Acute toxicity	as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met.
· LD/LC50 values relevant for	
classification:	ATE mix:
	Oral: Acute toxicity estimate: > 2,000 mg/kg
	Dermal: Acute toxicity estimate: > 2,000 mg/kg
	Inhalation: Acute toxicity estimate: for gases > 20,000 ppmV; for vapours > 20 mg/l; for dust/mist > 5 mg/l
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
· Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	Based on available data, the classification criteria are not met.
· Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2 Information on other hazards	
· Endocrine disrupting properties	
None of the ingredients is listed.	

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

No further relevant information available.

- 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil
- No further relevant information available. 12.5 Results of PBT and vPvB assessment
- · PBT:

The criteria to identify an ingredient as a PBT substance in compliance with REACH are according to our information currently not available. The criteria to identify an ingredient as a vPvB substance in compliance with REACH are

- · vPvB:
- according to our information currently not available. • 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.01.2023

ſ

Version 9 (replaces version 8)

Revision: 23.01.2023

Trade name: Lubrimax Alu Fleckfrei

ide name: Lubrimax Alu Fleckfrei	
12.7 Other adverse effects	(Contd. of page 4)
Behaviour in sewage processing	
plants: Additional ecological information:	The product can be mechanically separated.
General notes:	Do not allow product to reach ground water, water course or sewage system.
SECTION 13: Disposal consid	derations
•	
13.1 Waste treatment methods Recommendation	Delivery of waste oil to offically authorised collectors only.
European waste catalogue	
12 01 10* synthetic machining oils	
	ues of or contaminated by hazardous substances
For the product:	12 01 10*
Uncleaned packaging:	
Recommendation:	Disposal must be made according to official regulations. Waste disposal key: 15 01 10*
SECTION 14: Transport infor	mation
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR	
Class	Void
Label	Void
ADN/R Class:	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk acco	
instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
ADR	
Excepted quantities (EQ):	Void
Limited quantities (LQ)	Void
Transport category Tunnel restriction code	Void Void
IMDG	
IMDG Limited quantities (LQ)	Void

· UN "Model Regulation":

· IATA · Remarks:

SECTION 15: Regulatory information

Labelling according to Regulation	ntal regulations/legislation specific for the substance or mixture	1
(EC) No 1272/2008	Void	
Hazard pictograms	Void	
Signal word	Void	
Hazard statements	Void	
Directive 2012/18/EU Named dangerous substances -	Void	
	None of the ingredients is listed.	
	5	(Contd. on page 6)

Void

Void



Safety data sheet according to 1907/2006/EC, Article 31

Version 9 (replaces version 8)

Revision: 23.01.2023

Trade name: Lubrimax Alu Fleckfrei

Trade name: Lubriniax Alu Tieckirer	
REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for	(Contd. of page 5)
the purpose of licensing under Article 5(3)) · Annex II - REPORTABLE	None of the ingredients is listed.
EXPLOSIVES PRECURSORS	None of the ingredients is listed.
Regulation (EC) No 273/2004 on drug	precursors
None of the ingredients is listed.	
drug precursors	own rules for the monitoring of trade between the Community and third countries in
None of the ingredients is listed.	
• National regulations:	
Breakdown regulations:	The product is not subject to the directive on the control of major-accident hazards involving dangerous substances.
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other informatio	n
This information is based on our pres features and shall not establish a legally	ent knowledge. However, this shall not constitute a guarantee for any specific product valid contractual relationship.
· Reasons for alterations	General revision. COMMISSION REGULATION (EU) 2020/878
 Classification according to Regulation (EC) No 1272/2008 	Calculation method
 Department issuing SDS: Version number of previous version: 	Department of technology: +49-(0)214/82511-21 8
 Abbreviations and acronyms: 	REACH: Registration, Evaluation and Authorisation of Chemicals (regulation (EC) No 1907/2006) PBT: persistent, bioaccumulative, toxic vPVB: very persistent, very bioaccumulative EC: European Community NLP: no longer polymers EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) WEL: Worktime Exposure Limit TWA: Time Weighted Average concentration STEL: Short Time Exposure Limit OEL: Occupational Exposure Limit OEL: Occupational Exposure Limit of the European Union TLV: Threshold limit value TWA: Time Weighted Average concentration STEL: Short Time Exposure Limit OEL: Nort Time Exposure Limit OEL: Nort Time Exposure Limit OEL: Nort Time Exposure Limit OEL: Short Time Exposure Limit OEL: Nort Time Exposure Limit OEL: Nort Time Exposure Limit OEL: Nort Time Exposure Limit OEL: Cocupational Exposure Limit Value
· * Data compared to the previous version altered.	WEL: Worktime Exposure Limit ACGIH: American Conference of Governmental Industrial Hygienists EC _{so} : ecotoxic concentration, 50 percent NOELR: No observed effect loading rate ATE: acute toxicity estimate LC _{so} : Lethal concentration, 50 percent LD _{so} : Lethal concentration, 50 percent VOC: Volatile Organic Compounds (USA, EC) ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EU-